



J&K STATE POLLUTION CONTROL BOARD
JAMMU/SRINAGAR

Sr. No.

SPCBL/1/C/39/1277-80

Date:

30-4-2016

CONSENT ORDER

Consent No.

221 of 2016

Date:

30-4-2016

Consent to **Operate (Renewal)**: -

- i) Under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, as amended.
- ii) Under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981.

Name of unit holder with address: - Sh. Manmohan Krishan Sawhney R/o Mehtabpur
Kathua.

CONSENT is granted to: - M/s V.G.S Stone Crusher
Village Mehtabpur Maggar Khad Kathua .

Located in the area declared under the provisions of the Water Act / Air Act and subject to the provisions of the Act, Rules and the Guidelines that may be made further and subject to the following terms and conditions: -

1. The Consent to **Operate (Renewal)** is granted for a period of upto **March 2019**.
2. The consent granted by the Board is restricted to Prevention & Control of Pollution only and shall not be treated as substitute of permission required under other laws of the land.
3. The Unit falls in the **Red** category as per "Uniform Consent Mechanism".
4. The Consent is valid for the manufacture of the following products/by-products with capital investment (Land, plant & machinery) of **Rs. 22.54 Lacs**.
5. The unit is registered with DIC Jammu vide No. **07/05/06194 dt: 30-4-2001**.

| S.No. | Products / By-product | Potential Qty. Projected in DPR* | Annual quantity consented 50% |
|-------|-----------------------------------|----------------------------------|-------------------------------|
| 1 | Crushing of Stones and Stone dust | 12 lacs Cft/annum | 06 lacs Cft/annum |

* The above Qty. mentioned in Col. II is as per Sch II/DPR.

6. *The emissions or discharge of environmental pollutants from the stone crusher shall not exceed the relevant parameters and standards for the said stone crusher , operation or process specified under respective schedules of the Environment (Protection) Rules , 1986 as amended from time to time.*

7. **Conditions under Water Act:-**

- i) The daily quantity of water consumption shall not exceed 10 KLD.
- ii) The daily quantity of sewage/trade effluent from the stone crusher shall not exceed permissible quantity approved.

