



**J&K State Pollution Control Board
JAMMU/SRINAGAR**

Sr.No.

SPUS/PIE/2014/1261-64

Date

30-4-2016

Consent Order
(Schedule III)

Consent No.

217 of 2016

Date:

30-4-2016

Consent to Operate (Fresh)

- Under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, as amended
- Under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, as amended

Name of the unit holder with address: S. Gurmeet Pal Singh

**CONSENT is granted to M/s Chenab Feed Industries
Ph I IGC Samba .**

Located in the area declared under the provisions of the Water Act / Air Act, subject to the provisions of the Act and the Orders that may be made further and subject to the following terms and conditions:-

1. The Consent to **Operate(Fresh for substantial expansion)** is granted for a period up to **One year from date of issue.**
2. The consent granted by the Board is restricted to Prevention and Control of Pollution only and shall not be treated as substitute of permission required under other laws of the land.
3. Category of the unit as per UCM Guidelines: **Orange.**
4. The Consent is valid for the manufacture of the following products / by-products with capital investment (Land, plant and machinery) of **Rs. 17.25 lacs**
5. The unit is registered with DIC vide registration No:07/01911/00235 dt: 13-9-2011.

| S.No. | Finished Products | Maximum Quantity |
|-------|--|-------------------------------|
| 1 | Dalla (Ground Barley coarse granular form) Chips (Cotton seed oil and cake flakes) | 3840 MT/annum 960 MT/annum |

6. *The emissions or discharge of environmental pollutants from the unit / establishment shall not exceed the relevant parameters and standards for the said industry, operation or process specified under respective schedules of the Environment (Protection) Rules , 1986 as amended from time to time.*

7. Conditions under Water Act :

- (i) The daily quantity of trade effluent from the unit shall not exceed the permissible quantity approved.
- (ii) The daily quantity of sewage effluent from the unit shall not exceed the permissible quantity approved.
- (iii) The daily quantity of water consumption shall not exceed 1 KLD

