



**J&K State Pollution Control Board
JAMMU/SRINAGAR**

Sr.No. SP-CB/TIC/119/561-64

Date 27/4/2016

Consent Order

Consent No. 141 of 2016

Date: 27/4/2016

Consent to Establish (Renewal)

- I) under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, as amended
- II) under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, as amended

Name of the authorized officer : Commissioner SMC , Srinagar.

CONSENT is granted to **M/s Modern Abattoir**
Allochi Bagh Near Municipal Cattle Pond
Tangpora , bypass Srinagar.

Located in the area declared under the provisions of the Water Act / Air Act and subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:-

1. The Consent to **Establish (Renewal)** is granted for a period up to **April 2017**.
2. The consent granted by the Board is restricted to Prevention and Control of Pollution only and shall not be treated as substitute of permission required under laws of the land.
3. Category of the unit as per UCM Guidelines: **Red**.
4. The Consent is valid for the establishment of slaughter house with capital investment (land, plant and machinery) of **Rs. 2452.36 lacs**.

S.No.	Municipal Corporation	Maximum Quantity
1	Goat / Sheep(Halal)	1000 Nos./shift (As per Project Report)

The emissions or discharge of environmental pollutants from the unit / establishment shall not exceed the relevant parameters and standards for the said industry, operation or process specified under respective schedules of the Environment (Protection) Rules , 1986 as amended from time to time.

5. Conditions under Water Act :

- (i) The daily quantity of trade effluent from the slaughter house shall not exceed the permissible quantity approved.

(2)

- (ii) The daily quantity of sewage effluent from the slaughter house shall not exceed the permissible quantity approved.
- (iii) The daily quantity of water consumption shall not exceed 70 KLD

Treatment : The applicant has to operate and maintain a comprehensive treatment system consisting of Primary / Secondary and / or Tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards before disposal.

(1) pH	Between	<u>6.5</u> and <u>8.5</u>
(2) Suspended Solids	Not to exceed	<u>100</u> mg/L.
(3) BOD, 3 days, 27°C	Not to exceed	<u>100</u> mg/L.
(4) C.O.D.	Not to exceed	<u>250</u> mg/L.
(5) Oil & Grease	Not to exceed	<u>10</u> mg/L.

(iv) Trade Effluent Disposal Outlet Conditions :

The Municipal Corporation owner must ensure the safe disposal of effluent by adopting the Pollution control measures and installation of required pollution control devices as per the Water (Prevention & Control of Pollution) Act, 1974 and amendments made thereafter.

- (v) Sewage Treatment – The applicant shall provide a comprehensive treatment system as is warranted with reference to effluent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards before disposal :-

pH	Between	<u>5.5</u> and <u>9.0</u>
Suspended Solids	Not to exceed	<u>100</u> mg/l.
B.O.D., 3 days, 27°C	Not to exceed	<u>30</u> mg/l.

(vi) Sewage Disposal Outlet Conditions :

All the domestic waste water is collected in the Septic tank and soak pit

- (vii) Non-hazardous solid waste (TPD./TPM): The non-hazardous solid waste should be handled and disposed as per the guidelines of Municipal Solid Waste Rules, 2000. N.A

The applicant has to operate and maintain a comprehensive water pollution control system consisting of control equipment as detailed below and operate and maintain the same continuously so as to control pollution in the Municipal Corporation.

S.No.	Pollution Control Measures
1	Effluent treatment plant of required capacity

6. **Condition for Noise Pollution:**

The Municipal Corporation shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 db(A) during day time and 70 db(A) during night time. Daytime is reckoned in between 6am to 10pm and night time is 10pm to 6am.


7. Other Conditions :


- (a) The Municipal Corporation shall ensure that no environmental pollution or any nuisance created from the slaughter house.
- (b) The slaughter house shall not spread any organic waste or municipal solid waste in the surroundings.
- (c) The Municipal Corporation owner shall comply with any other condition laid down or directions issued in due course by the J & K State Pollution Control Board under the provisions of Air (Prevention and Control of Pollution) Act, 1981.

8. The applicant shall comply with the additional conditions as stipulated below :-

- i. The Consent is valid for the establishment of slaughter house . The Municipal Corporation owner can only rear poultry birds , as mentioned in consent order only after seeking consent to operate. Any change in rearing capacity, shall have to be intimated to the Board. For any enhancement of the above, fresh consent has to be obtained from J & K State Pollution Control Board.
- ii. The Municipal Corporation shall be liable to pay compensation in case any damage is caused to the environment.
- iii. The Municipal Corporation shall abide by the directions of the Board which will be issued from time to time. Any infringement/violation or transgression of the statutory enactments of pollution control acts by the Municipal Corporation, shall be sufficient cause to prosecute the violator in conformity with relevant section of Air / Water Acts and Environment Protection Act in force.
- iv. The Municipal Corporation shall be under surveillance monitoring of J & K State Pollution Control Board.
- v. Any further construction/expansion/renovation/ in the Municipal Corporation premises shall be subject to the clearance from the J & K State Pollution Control Board.
- vi. The Municipal Corporation shall raise green belt of suitable plant species within the premises of unit.
- vii. It shall be the responsibility of the Municipal Corporation to ensure that there are no complaints from the surrounding areas due to pollution caused by the Municipal Corporation.
- viii. The Municipal Corporation should apply 60 days in advance for renewal of Consent before expiry the date of this Consent order.

- ix. The Municipal Corporation shall dispose off animal waste generated during processing, as specified under Sch I of Bio Medical Waste (Management & Handling) Rules and amendments made thereof at the time of operation of unit.
- x. The Municipal Corporation shall not operate the slaughter house until Board issue consent to operate fresh.
- xi. The Municipal Corporation owner will adopt the guidelines of CPCB for setting up the Abattoir (Slaughter house) at the time of operation.
- xii. In case of violation of the above mentioned conditions or any public complaint the consent shall be withdrawn after due verification.


Scientist C


Member Secretary

M/s Modern Abattoir
Allochi Bagh near Municipal Cattle Pond
Tangpora , bypass Srinagar.

Copy for information and necessary action to :-

1. The Regional Director, SPCB Kashmir.
2. The General Manager, DIC Srinagar.
3. The I/c District Officer, PCB Srinagar.
4. Office file.

Jammu Address: Parivesh Bhavan, Gladni Transport Nagar, (Narwal), Jammu (Ph.2476925, 26, 27)
Srinagar Address : Sheikh-ul-Alam Campus, Raj Bagh, Behind Govt. Silk Factory, Srinagar (Kashmir)
(Ph.2311165, 2311842)