



**J&K State Pollution Control Board
JAMMU/SRINAGAR**

Sr..No. SPCB/T/C/477/1341-44

Date 30/4/2016

Consent Order

Consent No. 2379/2016

Date: 30/4/2016

Consent to Establish (Fresh)

- I) under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, as amended
- II) under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, as amended

**Name of the unit holder with address: Sh. Bashkar Suri R/o 143 Kacchi Chowani
Jammu.**

**CONSENT is granted to M/s A.B. Industries
Lane 4 SIDCO Industrial Complex Bari Brahamana .**

Located in the area declared under the provisions of the Water Act / Air Act and subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:-

1. The Consent to **Establish (Fresh)** is granted for a period up to **One year from the date of issue.**
2. The consent granted by the Board is restricted to Prevention and Control of Pollution only and shall not be treated as substitute of permission required under laws of the land.
3. Category of the unit as per UCM Guidelines: **Orange.**
4. The Consent is valid for the manufacture of the following products / by-products with capital investment (plant and machinery) of **Rs. 30.90 Lacs**
5. The unit is registered with DIC vide Entrepreneur Memorandum No: 070041113460 dt: 8-1-2016.

| S.No. | Products / By-product | Maximum Quantity |
|-------|------------------------------------|--|
| 1 | Manufacturing of Cattle Feeds only | 48000 MT/annum (As per Project Report) |

6. Conditions under Water Act :

- (i) The daily quantity of trade effluent from the unit shall not exceed the permissible quantity approved.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed the permissible quantity approved.
- (iii) The daily quantity of water consumption shall not exceed 01 KLD

(2)

Treatment : The applicant shall install a comprehensive treatment system consisting of Primary / Secondary and / or Tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards before disposal.

| | | |
|-----------------------|---------------|-------------|
| (1) pH | Between | 6.5 and 8.5 |
| (2) Suspended Solids | Not to exceed | 100mg/l |
| (3) BOD, 3 days, 27°C | Not to exceed | 30mg/l |
| (4) C.O.D. | Not to exceed | 250mg/l |
| (5) Oil & Grease | Not to exceed | 10mg/l |

(iv) Trade Effluent Disposal Outlet Conditions :

The unit holder must ensure the safe disposal of effluent by adopting the Pollution control measures and installation of required pollution control devices as per the Water (Prevention & Control of Pollution) Act, 1974 and amendments made thereafter.

(v) Sewage Treatment – The applicant shall provide comprehensive treatment system as is warranted with reference to effluent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards before disposal :-

| | | |
|----------------------|---------------|-------------|
| pH | Between | 5.5 and 9.0 |
| Suspended Solids | Not to exceed | 100mg/l. |
| B.O.D., 3 days, 27°C | Not to exceed | 30 mg/l. |

(vi) Sewage Disposal Outlet Conditions :

All the domestic waste water is collected in the Septic tank and soak pit

(vii) Non-hazardous solid waste (TPD./TPM): The non-hazardous solid waste should be handled and disposed as per the guidelines of Municipal Solid Waste Rules, 2000.

| Type of waste | Quantity Treatment | Disposal |
|---------------|--------------------|----------|
|---------------|--------------------|----------|

(II) The applicant shall install a comprehensive air pollution control system as applicable under environment protection act 1986 to achieve the level of pollutants.

| S.No. | Pollution Control Measures: |
|-------|---|
| 1 | as applicable under environment protection act 1986 |

Standards for emissions of air pollution as per MOEF notification under EP Act 1986:-

| | |
|----------------------|--------------------------------------|
| (i) SPM(Ambient Air) | Not to exceed 100 µg/Nm ³ |
| (ii)SO ₂ | Not to exceed 80 ug/Nm ³ |
| (iii)NO ₂ | Not to exceed 80 ug/Nm ³ |

