

## J&K State Pollution Control Board JAMMU/SRINAGAR

Sr.. No. SP CD/7/0/375/1381-84

Date 304/216

Consent Order

Consent No. 2470 Sol

Date: 304 216

Consent to Operate (Renewal)

- Under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, as amended
- Under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, as amended

Name of the unit holder with address: Smt. Aarti Gupta W/o Sh. Vishal Gupta R/o Adarsh Enclave Trikuta Nagar Jammu.

CONSENT is granted to M/s Bombay Paint & Chemical Product
Ph 3rd, Industrial Estate Gangyal Jammu.

Located in the area declared under the provisions of the Water Act / Air Act, subject to the provisions of the Act and the Orders that may be made further and subject to the following terms and conditions:-

- 1. The Consent to Operate(Renewal) is granted for a period up to March 2018.
- 2. Category of the unit as per UCM Guidelines: Orange.
- 3. The Consent is valid for the manufacture of the following products / by-products with capital investment (Land, plant and machinery) of Rs 10.70 Lacs.
- 4. The unit is registered with DIC vide No: 07/04/11/11992 dt: 21-1-2012.

S.No.	Products / By-product	Maximum Quantity
1	Wall Putty / Concrete Admixture	1279 MT/annum
2	Chalk Putty	383 MT/annum
3	Dry Distemper	10 MT/annum
4	Cement Paint / Cement additive of plaster	95 MT/annum
5	N.C. Putty	10 KL/annum
6	Oil based paint	50 KL/annum
7	Water based paint / Waterproofing sealing	110 KL/annum
	membranes	* * * * * * * * * * * * * * * * * * *
8	Sealers	05 KL/annum

- 5. The emissions or discharge of environmental pollutants from the unit / establishment shall not exceed the relevant parameters and standards for the said industry, operation or process specified under respective schedules of the Environment (Protection) Rules, 1986 as amended from time to time.
- 6. Conditions under Water Act:
  - (i) The daily quantity of trade effluent from the factory shall not exceed
  - (ii) The daily quantity of sewage effluent from the factory shall not exceed 0.3 KLD

