



**J&K State Pollution Control Board  
JAMMU/SRINAGAR**

Sr.No.

SPUB/17/C/32/1245-40

Date

30-4-2016

Consent No.

213 of 2016

Consent Order

Date:

30-4-2016

**Consent to Operate (Fresh)**

- Under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, as amended
- Under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, as amended

**Name of the unit holder with address: Mrs. Anita Gupta**

CONSENT is granted to **M/s Jehlum Corrugated  
SIDCO Industrial Complex Bari Brahamana.**

Located in the area declared under the provisions of the Water Act / Air Act, subject to the provisions of the Act and the Orders that may be made further and subject to the following terms and conditions:-

1. The Consent to **Operate(Fresh)** is granted for a period up to **April 2017**.
2. The consent granted by the Board is restricted to Prevention and Control of Pollution only and shall not be treated as substitute of permission required under other laws of the land.
3. Category of the unit as per UCM Guidelines: **Orange**.
4. The Consent is valid for the manufacture of the following products / by-products with capital investment (plant and machinery) of **Rs. 3.92 Crore**.
5. The unit is registered with DIC vide registration No. 07/04/12/11464 dt: 1-9-2010.

| S.No. | Products / By-product | Maximum Quantity |
|-------|-----------------------|------------------|
| 1     | Corrugated Board      | 6000 MT/annum    |

6. *The emissions or discharge of environmental pollutants from the unit / establishment shall not exceed the relevant parameters and standards for the said industry, operation or process specified under respective schedules of the Environment (Protection) Rules, 1986 as amended from time to time.*
7. Conditions under Water Act :
  - (i) The daily quantity of trade effluent from the unit shall not exceed the permissible quantity approved.
  - (ii) The daily quantity of sewage effluent from the factory shall not exceed the permissible quantity approved.
  - (iii) The daily quantity of water consumption shall not exceed 07 KLD

(2)

Treatment : The applicant has provided comprehensive treatment system consisting of Primary / Secondary and / or Tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards before disposal.

|                       |               |             |
|-----------------------|---------------|-------------|
| (1) pH                | Between       | 6.5 and 8.5 |
| (2) Suspended Solids  | Not to exceed | 100mg/L.    |
| (3) BOD, 3 days, 27°C | Not to exceed | 30mg/L.     |
| (4) C.O.D.            | Not to exceed | 250mg/L.    |
| (5) Oil & Grease      | Not to exceed | 10mg/L.     |

(iv) Trade Effluent Disposal Outlet Conditions :

The unit holder must ensure the safe disposal of effluent by adopting the Pollution control measures and installation of required pollution control devices as per the Water (Prevention & Control of Pollution) Act, 1974 and amendments made thereafter.

(v) Sewage Treatment – The applicant has provided comprehensive treatment system as is warranted with reference to effluent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards before disposal :-

|                      |               |             |
|----------------------|---------------|-------------|
| pH                   | Between       | 6.5 and 8.5 |
| Suspended Solids     | Not to exceed | 100mg/l.    |
| B.O.D., 3 days, 27°C | Not to exceed | 30 mg/l.    |

(vi) Sewage Disposal Outlet Conditions :

All the domestic waste water is collected in the Septic tank and soak pit

(vii) Non-hazardous solid waste (TPD./TPM): The non-hazardous solid waste are being handled and disposed as per the guidelines of Municipal Solid Waste Rules, 2000.

| Type of waste | Quantity | Treatment | Disposal |
|---------------|----------|-----------|----------|
|---------------|----------|-----------|----------|

(viii) Other Conditions :

The unit shall comply with any other conditions laid down or directions issued in due course by the Board from time to time under the provision of the Water (Prevention and Control) Act, 1974

8. Conditions under Air Act :

(I)The applicant has erected the chimney(s) / stack(s) of the following specifications :

| S.No. | Chimney / Stack attached to | Volume Nm <sup>3</sup> /hr. | Height in mtr | Top Diameter in mtrs | Velocity of gas emission m/sec. |
|-------|-----------------------------|-----------------------------|---------------|----------------------|---------------------------------|
| 1     | Boiler                      | 1197                        | 100 feet      | 2 feet               | 3.28 m                          |

(II) The applicant has installed a comprehensive air pollution control system consisting of control equipment as detailed below to control the emissions continuously so as to achieve the level of pollutants to the following standards:

| S.No. | Pollution Control Measures               |
|-------|--|
| 1     | Duct collector , ID Fan , Exhaust fans . |

