



J&K STATE POLLUTION CONTROL BOARD

Jammu /Srinagar (www.jkspcb.nic.in)

CONSENT ORDER (Project Specific Activity)

SPCB ~~956~~ of 2017 dated ~~07-01-2017~~

Consent to Establish / Operate (Fresh) under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981, as amended is granted in favour of

Sh. Manzoor Ahmed Malik (Managing Partner)

M/s Sharp Construction Company
(Hot /Wet Mix Plant)
Lasjan Budgam

for a period upto **One year from date of issue** for **Orange** category of unit as per revised classification of industrial sector, subject to the following terms and conditions in a time bound manner:

1. The consent granted by the Board is restricted to Prevention and Control of Pollution only and shall not be treated as substitute of permission required under other laws of the land.
2. The consent is granted valid for the manufacture of the products / by-products consented quantity as under with capital investment as per schedule I Rs. 72.51 lacs. Any change / enhancement in production capacity , process , raw materials shall have be intimated to the board and unit holder has to apply fresh for the same

S.No.	Products / By-product	Maximum Quantity
1	Providing / Laying of Bituminous macadam (3.70 m thickness wide)	53 Kms /annum
2	Premixing with all req. thickness wide (3.70 m)	53 Kms/annum

The emissions or discharge of environmental pollutants from the unit / establishment shall not exceed the relevant parameters and standards for the said industry, operation or process specified under respective schedules of the Environment (Protection) Rules , 1986 as amended from time to time.

3. Compliance under Water Act :

a. Standards of discharge for Sewerage disposal :

Sewage Treatment – The applicant has to install a comprehensive treatment system as is warranted with reference to effluent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards before disposal :-

Parameters	Range	Conc. In mg/l except pH
pH	between	6-9
Suspended Solids	Not to exceed	100
BOD, 3 days, 27°C	Not to exceed	30

b. All the domestic waste water is disposed off through septic tank and soakage pit.

c. Water consumption

- i. The daily quantity of sewage effluent from the unit shall not exceed 03 KLD
- ii. The daily quantity of water consumption shall not exceed 05 KLD.

4. Compliance under Air Act:

a. The unit holder shall comply to **National Ambient Air Quality Standards** as per EP Act 1986 (refer rule 3(3B) .

b. Standards for discharge of emissions from Stack

Parameters	Limits for discharge
Particulate Matter	Conc. not exceed to 150 mg/Nm ³

c. The unit holder shall install a stack of 12.5 meter height with the hot mix plant to vent out fumes .

5. Compliance under Noise Pollution (Regulation and Control) Rules 2000 as amended

The Project Proponent shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 db(A) during day time and 70 db(A) during night time. Daytime is reckoned in between 6am to 10pm and night time is 10pm to 6am.

6. Pollution Control Equipments & Measures :

The Project Proponent has to operate and maintain a comprehensive Pollution Control System i.e. **Dust containment bags, Water sprinkling system , Wet Scrubber and green belt in three rows around the periphery of unit** to achieve the quality of emission within the tolerance limits prescribed under environment protection act 1986.

Fuel Consumption: Type of fuel:	Maximum quantity
HSD	Ltrs./day

7. Self Monitoring Schedule :

The Project Proponent shall get the samples of treated emissions analysed from the J&K SPCB laboratory or laboratory approved by the J&K SPCB and submit self monitoring report by November 2017 for ascertaining the efficacy of pollution control devices to check the quality of emission as per limits prescribed under environment protection act 1986.

8. The unit holder shall comply with the additional conditions as stipulated below :-

- The Consent is valid for the **operation of unit only**. The unit holder can only manufacture products at the rate of production as mentioned in consent order.
- Pollution Control Devices (ETP/ECD) as contemplated to achieve the quality of emission within the tolerance limits prescribed, shall have to be operational during the course of production. The emission shall not contain constituents in excess of the tolerance limits as laid down by J & K State Pollution Control Board.
- The Project Proponent shall be liable to pay compensation in case any damage is caused to the environment.
- The unit holder shall abide by the directions of the Board which will be issued from time to time. Any infringement/violation or transgression of the statutory enactments of pollution control acts by the unit, shall be sufficient cause to prosecute the violator in conformity with relevant section of Air / Water Acts and Environment Protection Act in force.
- The unit shall be under surveillance monitoring of J & K State Pollution Control Board.
- The Project Proponent shall provide adequate arrangement for fighting the accidental leakages/discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.
- The Project Proponent should apply 60 days in advance for renewal of consent before expiry the date of this Consent order.


viii. Specific Conditions :

- The Project Proponent shall neither extract nor use / store in his premises raw material from river bed banks or Quarry without permission from Irrigation / Flood Control and Geology & Mining department as required under Act / Rules / Laws / various Judgments governing the subject.**
- The Project Proponent shall dismantle the plant & machinery soon after completion of work.**
- The Project Proponent shall not use finished products for commercial purpose.**


ix. The consent is issued for execution of work from Jejangir Chowk to Rambagh Natipora Srinagar.

x. In case of violation of above mentioned conditions or any public complaint the consent shall be withdrawn.

* This consent is issued purely from environmental angle and the Board shall not be responsible for any claim, counter claim, ownership, partnership etc. of the unit.


Scientist C

'By Order'


Member Secretary
dated: 07-01-2017

Sr. No. SPCB /T/C/2508 - 11

Copy to the :

- Regional Director PCB Kashmir for information and ensure the implementation of conditions stated above.
- General Manager DIC Budgam for information.
- D.O PCB Budgam for the direction to monitor the conditions of the consent stated above .
- M/s Sharp Construction Hot & Wet Mix Plant Lasjan Budgam for compliance of above stated conditions.
- Office file.