



J&K STATE POLLUTION CONTROL BOARD

Jammu /Srinagar (www.jkspcb.nic.in)

CONSENT ORDER

SPCB 416 of 2017 dated 30-6-2017

Consent to Establish (Fresh) under section 25/26 of the Water (Prevention & Control of Pollution) Act,1974, and under section 21 of the Air (Prevention & Control of Pollution) Act,1981, as amended is granted in favour of

Mr. Manzoor Ahmed Taray (Chief Sanitation Officer)

M/s Land Fill Site
(Sanitary Engineered Landfill Cell 3rd)
Saturated at Syedpora Achan, Srinagar

for a period upto one year from the date of issue for a category of Red as per revised classification of industrial sector, subject to the following terms and conditions in a time bound manner:

1. The consent granted by the Board is restricted to Prevention and Control of Pollution only and shall not be treated as substitute of permission required under other laws of the land.
2. The consent is granted valid for the manufacture of the products / by-products consented quantity as under with capital investment as per schedule I **Rs 96 Crores**. Any change / enhancement in production capacity , process , raw materials shall have be intimated to the board and unit holder has to apply fresh for the same

S.No.	Products / By-product	Maximum Quantity
I	Integrated Solid Waste Management Plant	i. 350 TPD Segregation Plant ii. 200 Meter RDF & Material, Recover Plant iii. 200 TPD Compost Plant

(That Agency shall comply to Solid Waste Management Rules 2016 strictly)

The emissions or discharge of environmental pollutants from the unit / establishment shall not exceed the relevant parameters and standards for the said industry, operation or process specified under respective schedules of the Environment (Protection) Rules , 1986 as amended from time to time.

3. Compliance under Water Act :

a. Standards for discharge of sewerage treatment

Sewage Treatment – The unit holder shall install a comprehensive treatment system as is warranted with reference to effluent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards before disposal :-

Parameters	Range	Standards of discharge
pH	between	6-9
Suspended Solids	Not to exceed	100 mg/l
BOD, 3 days, 27°C	Not to exceed	30 mg/l

b. All the domestic waste water is disposed off through septic tank and soakage pit.

c. Water consumption

- i. The daily quantity of sewage effluent from the unit shall not exceed 01 KLD
- ii. The daily quantity of water consumption shall not exceed 02 KLD.

4. Compliance under Air Act:

a. The unit holder shall comply to National Ambient Air Quality Standards as per EP Act 1986 (refer rule 3(3B)).

5. **Compliance under Noise Pollution (Regulation and Control) Rules 2000 as amended :**

The unit holder shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 db(A) during day time and 70 db(A) during night time. Daytime is reckoned in between 6am to 10pm and night time is 10pm to 6am.

6. **Pollution Control Equipments & Measures**

The unit holder shall install a comprehensive Pollution Control System as applicable under environment protection act 1986 to achieve the quality of effluent and dispose off waste of bones in a scientific manner as per Bio Medical Waste Management Rules, 2016 dt: 8-4-2016.

7. **Self Monitoring Schedule :**

The unit holder shall get the samples of treated emissions analysed from the J&K SPCB laboratory or laboratory approved by the J&K SPCB and submit self monitoring report at the time of operation of unit for ascertaining the efficacy of pollution control devices to check the quality of emission as per limits prescribed under environment protection act 1986.


8. **The unit holder shall comply with the additional conditions as stipulated below :-**

- i. The Consent is valid for the **Establishment of unit only**. The unit holder can only manufacture products, at the rate of production as mentioned in consent order.
- ii. Pollution Control Devices (ETP/ECD) as contemplated to achieve the quality of emission within the tolerance limits prescribed, shall have to be operational during the course of production. The emission shall not contain constituents in excess of the tolerance limits as laid down by J & K State Pollution Control Board.
- iii. The unit holder shall be liable to pay compensation in case any damage is caused to the environment.
- iv. The unit holder shall abide by the directions of the Board which will be issued from time to time. Any infringement/violation or transgression of the statutory enactments of pollution control acts by the unit, shall be sufficient cause to prosecute the violator in conformity with relevant section of Air / Water Acts and Environment Protection Act in force.
- v. The unit shall be under surveillance monitoring of J & K State Pollution Control Board.
- vi. The unit holder shall provide adequate arrangement for fighting the accidental leakages/discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.
- vii. The unit holder shall maintain good housekeeping in efficient way.
- viii. The unit holder should apply 60 days in advance for renewal of consent before expiry the date of this Consent order.
- ix. **The unit holder shall not operate the unit unless Board issue consent to operate fresh.**
- x. In case of violation of above mentioned conditions or any public complaint the consent shall be withdrawn.


* This consent is issued purely from environmental angle and the Board shall not be responsible for any claim, counter claim, ownership, partnership etc. of the unit.

Specific Conditions :-

- i. The consent is issued for establishment only with the condition that the agency (SMC) shall seek Environment Clearance from the competent authority as per provision of EIA notification, 2006 dated 16th September, 2016 final quantities shall be considered at the time of consent to operate (fresh) with actual plan & waste at Site and Environmental clearance.
- ii. Further an area of 200 mtrs of land surrounding land fill site is proposed to be declared as **NO DEVELOPMENT ZONE** and most of land will be acquired to prevent unauthorized growth of habitation around the landfill site.
- iii. **Green Belt Area:** Similarly an area of 30 meters towards the west, north and south sides inside the landfill site and 100 meters towards the east side has been reserved for development of Green Belt area
- iv. **Disposal of Municipal Solid Waste:** The land filling of waste shall be restricted to inert waste and other waste that are not suitable either for recycling or for biological process. But for some time mixed waste will be disposed at Landfill Site Achan till Integrated Solid Waste Management Plant is established at Site which may be established at site by the end of 2017-18


Environmental Engineer

'By Order'


Member Secretary
dated: 30-6-2017

Sr. No. SPCB /T/C/Srg/246/1670-73

Copy to the :

1. Commissioner, Srinagar Municipal Corporation, Karan Nagar, Srinagar for information and ensure the implementation of conditions stated above.
2. Regional Director PCB Kashmir for information and ensure the implementation of conditions stated above.
3. General Manager DIC Srinagar for information.
4. Mr. Manzoor Ahmed Taray (Chief Sanitation Officer), at Khak Chowk, Karanagar, Municipal Corporation, Srinagar (MCS) [M/s Land Fill Site (Sanitary Engineered Landfill Cell 3rd) Saturated at Syedpora Achan, Srinagar] for information ensure the implementation of conditions stated above.
5. D.O PCB Srinagar for the direction to monitor the conditions of the consent stated above regularly.
6. Office file.