



# J&K STATE POLLUTION CONTROL BOARD

Jammu /Srinagar (www.jkspcb.nic.in)

## CONSENT ORDER

SPCB 1201 of 2017 dated 06-3-2017

Consent to Establish (Fresh) under section 25/26 of the Water (Prevention & Control of Pollution) Act,1974, and under section 21 of the Air (Prevention & Control of Pollution) Act,1981, as amended is granted in favour of Syed Aasif Hussain Andrabi

**M/s Valley Health Care Food Products**  
**Village Mahirud Utterpora Puchal Pulwama**

for a period upto **One year from date of issue** for **Orange** category of as per revised classification of industrial sector, subject to the following terms and conditions in a time bound manner:

1. The consent granted by the Board is restricted to Prevention and Control of Pollution only and shall not be treated as substitute of permission required under other laws of the land.
2. The consent is granted valid for the manufacture of the products / by-products consented quantity as under with capital investment as per schedule II **Rs. 93.20 laacs**. Any change / enhancement in production capacity , process , raw materials shall have be intimated to the board and unit holder has to apply fresh for the same

S.No.	Products / By-product	Maximum Quantity
1	Manufacturing of Fruit Juices , Jams , Pickels , Jellies , Fruit Preserves , Ketchups , Squashes etc.	751 MTs/Annum (as pre schedule-II)

The emissions or discharge of environmental pollutants from the unit / establishment shall not exceed the relevant parameters and standards for the said industry, operation or process specified under respective schedules of the Environment (Protection) Rules , 1986 as amended from time to time.

### 3. Compliance under Water Act :

#### a. Standards for discharge of Sewerage disposal:

**Sewage Treatment** – The unit holder shall install a comprehensive treatment system as is warranted with reference to effluent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards before disposal :-

Parameters	Range	Standards of discharge
pH	between	6-9
Suspended Solids	Not to exceed	100 mg/l
BOD, 3 days, 27°C	Not to exceed	30 mg/l

b. All the domestic waste water is disposed off through septic tank and soakage pit. Trade effluent is disposed off through effluent treatment plant .

#### c. Water consumption

- i. The daily quantity of sewage effluent from the unit shall not exceed 0.6 KLD
- ii. The daily quantity of water consumption shall not exceed 01 KLD.

### 4. Compliance under Air Act:

a. The unit holder shall comply to **National Ambient Air Quality Standards** as per EP Act 1986 (refer rule 3(3B) .

**5. Compliance under Noise Pollution (Regulation and Control) Rules 2000 as amended**

The unit holder shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 db(A) during day time and 70 db(A) during night time. Daytime is reckoned in between 6am to 10pm and night time is 10pm to 6am.

**6. Compliance under Plastic Waste Management Rules 2016 dated 18-3-2016.**

**7. Pollution Control Equipments & Measures :**

The unit holder has to operate and maintain a comprehensive water pollution control system (effluent treatment plant) to achieve the quality of effluent within the tolerance limits prescribed under environment protection act 1986.


**8. Self Monitoring Schedule :**

The unit holder shall get the samples of treated effluents analysed from the J&K SPCB laboratory or laboratory approved by the J&K SPCB and submit self monitoring report at the time of operation when unit becomes operational.


**The unit holder shall comply with the additional conditions as stipulated below :-**

- i. The Consent is valid for the **Establishment of unit only**. The unit holder can only manufacture products, at the rate of production as mentioned in consent order.
- ii. Pollution Control Devices (ETP/ECD) as contemplated to achieve the quality of effluent emission within the tolerance limits prescribed, shall have to be operational during the course of production. The effluent / emission shall not contain constituents in excess of the tolerance limits as laid down by J & K State Pollution Control Board.
- iii. The unit holder shall be liable to pay compensation in case any damage is caused to the environment.
- iv. The unit holder shall abide by the directions of the Board which will be issued from time to time. Any infringement/violation or transgression of the statutory enactments of pollution control acts by the unit, shall be sufficient cause to prosecute the violator in conformity with relevant section of Air / Water Acts and Environment Protection Act in force
- v. The unit shall be under surveillance monitoring of J & K State Pollution Control Board.
- vi. The unit holder shall provide adequate arrangement for fighting the accidental leakages/discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.
- vii. The unit holder should apply 60 days in advance for renewal of consent before expiry the date of this Consent order.
- viii. **The unit holder is advised to adhere to the standing norms , rules and regulations under EP Act 1986 and as amended thereafter.**
- ix. **The unit holder shall not operate the unit unless Board issue consent to operate fresh.**
- x. In case of violation of above mentioned conditions or any public complaint the consent shall be withdrawn.

\* This consent is issued purely from environmental angle and the Board shall not be responsible for any claim, counter claim, ownership, partnership etc. of the unit.

  
Scientist C

'By Order'

  
Member Secretary  
dated: 06-3-2017

Sr. No. SPCB /T/C /334/3491-94

Copy to the :

1. Regional Director PCB Kashmir for information and ensure the implementation of conditions as above.
2. General Manager DIC Pulwama for information.
3. D.O PCB Pulwama for the direction to monitor the conditions of the consent as above.
4. M/s Valley Health Care Food Products Mahirud Utterpora Puchal Pulwama for compliance of above said conditions.
5. Office file.