



J&K State Pollution Control Board

JAMMU/SRINAGAR

Sr..No. SPCB/708/14-3/52/229-32

Date 30-10-015

FORM IV

AUTHORIZATION (FRESH) UNDER RULE 8(4) FOR OPERATING A FACILITY FOR COLLECTION, RECEPTION, TREATMENT, STORAGE AND DISPOSAL OF BIO-MEDICAL WASTE

To

Dr. Pankaj Gupta
Prime Health Care & Intertvention Centre,
Near Nidheesh Apartments Trikuta Nagar,
Jammu.

The Board has scrutinized the information furnished by you and the proposal for management & handling of Bio-Medical Waste generated at your location mentioned below. After a careful consideration, it has been decided to grant authorization under Bio-Medical Waste (Management & Handling) Rules, 1998 (herein after to be called as rules) for a period and premises mentioned in this order.

1. File No. of authorization and date of issue 959 015 dt 30-12-015
2. Proprietor of **Prime Health Care & Intertvention Centre** is hereby granted an authorization to operate a facility for collection, reception, storage, treatment and disposal of Bio-Medical Waste on the premises situated at **Near Nidheesh Apartments, Trikuta Nagar, Jammu.**
3. This authorization (Fresh) shall be in force for upto **December 2018** alongwith an initial trial period of one year.
4. This authorization is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection), Act, 1986.
5. Cat 4,6,7 (22 kg/month) is proposed to be generated and after initial segregation the waste will be taken by the M/s Anmol Health Care Samba.
6. The Authorization fee is valid upto **December 2018.**

Date:

Indreshi
heer

Indreshi
EE

Indreshi
30/12/15
Member Secretary

Terms and Conditions of Authorization

1. The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.
2. The authorization or its renewals shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the Bio-Medical Wastes without obtaining prior permission of the prescribed authority.

5) Effluent Standards:

The effluent generated should conform to the following limits:

Paramaters	Maximum Permissible Limit
pH	6.5 to 9.0
Suspended Solids	100 mg/l
Oil & Grease	10 mg/l
BOD	30 mg/l
COD	250 mg/l
Bio-assay test	90% survival of fish after 96 hours in 100% effluent

6) Segregation & Storage of Bio-Medical Wastes:

- a) Bio-Medical Waste shall not be mixed with other wastes.
- b) Bio-Medical Waste shall be segregated into containers/bags at the point of generation in accordance with schedule II of the rules prior to its storage, transportation, treatment and disposal. The containers shall be labeled according to Schedule III of the rules.
- c) At the storage site "Bio-Medical Waste Storage Site" & "Danger" signboards shall be prominently displayed.
- d) The applicant shall take all steps to ensure that such Bio-Medical Waste is handled without any adverse effect to human health and the environment.
- e) The containers for storing segregated wastes shall be clearly identifiable. Colour coding of waste categories with multiple treatment options as defined in Schedule I, shall be selected depending on treatment option chosen, which shall be as specified in Schedule I of the rules.
- f) No untreated Bio-Medical Waste shall be kept stored beyond a period of 48 hours provided that if for any reason it becomes necessary to store the waste beyond such period, the authorised person must take permission of the prescribed authority and take measures to ensure that the waste does not adversely affect human health and the environment.

7. Transportation of Bio-Medical Waste:

- i. If a container is transported from the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises, the container shall, apart from the label prescribed in Schedule III of the rules, also carry information prescribed in Schedule IV of the rules.
- ii. Untreated Bio-Medical Waste shall be transported only in such vehicles as may be authorised for the purpose by the competent authority. The transport vehicles shall be prominently labeled as per symbols shown in Schedule III of the rules.

8. General Conditions:

- i. When any accident occurs at any institution or facility or any other site where Bio-Medical Waste is handled or during-transportation of such waste the authorised person shall report the accident in Form III of the rules to the Board forthwith.
- ii. Every applicant shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of Bio-Medical Waste in accordance with these rules and any guidelines issued.
- iii. All records shall be subject to inspection and verification by the Board at any time.

5) Effluent Standards:

The effluent generated should conform to the following limits:

Parameters	Maximum Permissible Limit
pH	6.5 to 9.0
Suspended Solids	100 mg/l
Oil & Grease	10 mg/l
BOD	30 mg/l
COD	250 mg/l

Bio-assay test 90% survival of fish after 96 hours in 100% effluent

6) Segregation & Storage of Bio-Medical Wastes:

- a) Bio-Medical Waste shall not be mixed with other wastes.
- b) Bio-Medical Waste shall be segregated into containers/bags at the point of generation in accordance with schedule II of the rules prior to its storage, transportation, treatment and disposal. The containers shall be labeled according to Schedule III of the rules.
- c) At the storage site "Bio-Medical Waste Storage Site" & "Danger" signboards shall be prominently displayed.
- d) The applicant shall take all steps to ensure that such Bio-Medical Waste is handled without any adverse effect to human health and the environment.
- e) The containers for storing segregated wastes shall be clearly identifiable. Colour coding of waste categories with multiple treatment options as defined in Schedule I, shall be selected depending on treatment option chosen, which shall be as specified in Schedule I of the rules.
- f) No untreated Bio-Medical Waste shall be kept stored beyond a period of 48 hours provided that if for any reason, it becomes necessary to store the waste beyond such period, the authorised person must take permission of the prescribed authority and take measures to ensure that the waste does not adversely affect human health and the environment.

7. Transportation of Bio-Medical Waste:

- i. If a container is transported from the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises, the container shall, apart from the label prescribed in Schedule III of the rules, also carry information prescribed in Schedule IV of the rules.
- ii. Untreated Bio-Medical Waste shall be transported only in such vehicles as may be authorised for the purpose by the competent authority. The transport vehicles shall be prominently labeled as per symbols shown in Schedule III of the rules.

8. General Conditions:

- i. When any accident occurs at any institution or facility or any other site where Bio-Medical Waste is handled or during-transportation of such waste the authorised person shall report the accident in Form III of the rules to the Board forthwith.
- ii. Every applicant shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of Bio-Medical Waste in accordance with these rules and any guidelines issued.
- iii. All records shall be subject to inspection and verification by the Board at any time.

Prime Health Care & Intervention Centre

- iv. Every applicant shall submit an annual report in Form II by 31st January every year, which shall include information about the categories & quantities of Bio-Medical Waste handled during the preceding year.
- v. The applicant shall be further required to obtain the following from the Board:
- Consent under the Water (Prevention and Control of Pollution) Act, 1974.
 - Consent under the Air (Prevention and Control of Pollution) Act, 1981.
 - Authorization under the Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008.
 - Authorization to operate the DG Set.
 - To return the used batteries to authorized dealers as per Battery (Management & Handling) Rules 2001 and Amendments thereof.
 - To manage Municipal Solid Waste as per Municipal Solid Waste (Management & Handling) Rules 2000.
 - To manage Plastic Waste as per Plastic Waste (Management & Handling) Rules 2011.
- vi. The authorisation granted shall lapse at any time if the facility does not demonstrate the parameters, as required under rules or any condition of this authorisation order is not complied with.
- vii. Mercury generated due to the breakage of medical equipments such as thermometer, B.P apparatus etc., should not be disposed off along with Bio-Medical or general Waste. It should be separately handled and disposed as per Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008. Mercury and Mercury compounds waste with concentration limit equal to or more than 50 mg/Kg has to be disposed off as per the said rules.
- viii. Proper lifting site should be designated.
- ix. Registration Certificate of Director Health Services shall be submitted within three months.
- x. The Proprietor should apply 45 days in advance for renewal of authorization before the expiry of same.

"This Authorization is issued purely from environmental angle and the Board shall not be responsible for any claim, ownership, proprietorship etc. of the facility".

Penalty Provisions:

If the applicant fails to comply with the terms and conditions and other directives issued by this Board as laid down in this order, the applicant is liable for prosecution under Section 15 of the Environment (Protection) Act 1986 and other penal provisions of the Act and shall on conviction be liable for punishment and imprisonment as provided in the said Act.

For & on behalf of
J&K State Pollution Control Board

heeh

Ashtar
E.E.

[Signature]
Member Secretary

Copy for information and necessary action to:-

- Regional Director, J&K State Pollution Control Board, Jammu.
- Principal Scientific Officer, J&K SPCB Jammu for information & necessary action.
- Office File