



**J&K State Pollution Control Board  
JAMMU/SRINAGAR**

Sr.No. SPCB/719/31/5082-85

Date 11/2/2016

Consent Order  
(Schedule III)

Consent No. 15228/2016

Date: 11/2/2016

Consent to Establish(Fresh) **Project specific activity**

- under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, as amended
- under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, as amended

**Name of unit representative: Sh. Kuldeep Raina (Auth. Signatory) C/o Plot No. 164 Wazir Villa Rammunshi Bagh Shivpora Srinagar.**

CONSENT is granted to **M/s Millith Karv Engineering & Trading Pvt. Ltd. Karol, Ramban.**

Located in the area declared under the provisions of the Water Act / Air Act, subject to the provisions of the Act and the Orders that may be made further and subject to the following terms and conditions:-

1. The Consent to **Establish (Fresh)** is granted for a period up to **One year from the date of issue.**
2. ~~The consent granted by the Board is restricted to Prevention and Control of Pollution only and shall not be treated as substitute of permission required under laws of the land.~~
3. Category of the unit as per UCM Guidelines: **Red.**
4. The Consent is valid for the establishing stone crusher with capital investment (land, plant and machinery) of **Rs. 32.50 lacs**

S.No.	Products / By-product	Maximum Quantity
1	Stone aggregates, Sand, Bituminous hotmix	60 Tons/hour ( As per Project Report)

5. *The emissions or discharge of environmental pollutants from the unit / establishment shall not exceed the relevant parameters and standards for the said industry, operation or process specified under respective schedules of the Environment (Protection) Rules , 1986 as amended from time to time.*

6. **Conditions under Water Act :**

- (i) The daily quantity of trade effluent from the stone crusher shall not exceed the permissible quantity approved.
- (ii) The daily quantity of sewage effluent from the stone crusher shall not exceed the permissible quantity approved.

(iii) The daily quantity of water consumption shall not exceed 10 KLD

**Treatment :** The applicant has to install a comprehensive treatment system consisting of Primary / Secondary and / or Tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards before disposal.

(1) pH	Between	6.5 and 8.5
(2) Suspended Solids	Not to exceed	100mg/L.
(3) BOD, 3 days, 27°C	Not to exceed	30mg/L.
(4) C.O.D.	Not to exceed	250mg/L.
(5) Oil & Grease	Not to exceed	10mg/L.

**Trade Effluent Disposal Outlet Conditions :**

The unit holder must ensure the safe disposal of effluent by adopting the Pollution control measures and installation of required pollution control devices as per the Water (Prevention & Control of Pollution) Act, 1974 and amendments made thereafter.

(v) **Sewage Treatment** – The applicant shall install a comprehensive treatment system as is warranted with reference to effluent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards before disposal :-

pH	Between	5.5 and 9.0
Suspended Solids	Not to exceed	100mg/l.
B.O.D., 3 days, 27°C	Not to exceed	30 mg/l.

(vi) **Sewage Disposal Outlet Conditions :**

All the domestic waste water is collected in the Septic tank and soak pit

(vii) **Non-hazardous solid waste (TPD./TPM):** The non-hazardous solid waste should be handled and disposed as per the guidelines of Municipal Solid Waste Rules, 2000.

Type of waste	Quantity	Treatment	Disposal
_____	NA	_____	_____

(viii) **Other Conditions :**

The unit shall comply with any other conditions laid down or directions issued in due course by the Board from time to time under the provision of the Water (Prevention and Control) Act, 1974

The applicant has to install a comprehensive air pollution control system consisting of control equipment as detailed below and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :



S.No.	Implementation of following Pollution Control Measures:
1.	Dust containment cum suppression system for the equipments.
2.	Construction of wind breaking wall.
3.	Construction of mettled roads with in premises.
4.	Regular cleaning and wetting of the ground with in premises.
5.	Green Belt in three rows as per specification of green belt.

SPM [measured between 3meters and 10 meters from any process equipment of a stone crushing unit shall not exceed 600 microgram per cubic meter].

**7. Conditions for Noise Pollution:**

The unit shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 db(A) during day time and 70 db(A) during night time. Daytime is reckoned in between 6am to 10pm and night time is 10pm to 6am.

**8. Other Conditions :**

(a) The executing agency shall ensure that no Air pollution problem or any nuisance is created in the area due to discharge of emissions from the stone crusher.

(b) The executing agency shall comply with any other condition laid down or directions issued in due course by the J & K State Pollution Control Board under the provisions of Air (Prevention and Control of Pollution) Act, 1981.

**9. The applicant shall comply with the additional conditions as stipulated below :**

- i. The Consent is valid for the **Establishment of unit only.**
- ii. Pollution Control Devices (ETP/ECD) as contemplated to achieve the quality of effluent emission within the tolerance limits prescribed, shall have to be operational during the course of production. The effluent / emission shall not contain constituents in excess of the tolerance limits as laid down by J & K State Pollution Control Board.
- iii. The executing agency shall be liable to pay compensation in case any damage is caused to the environment.
- iv. The executing agency shall abide by the directions of the Board which will be issued from time to time. Any infringement/violation or transgression of the statutory enactments of pollution control acts by the unit, shall be sufficient cause to prosecute the violator in conformity with relevant section of Air / Water Acts and Environment Protection Act in force.
- v. The unit shall be under surveillance monitoring of J & K State Pollution Control Board.


(4)

- vi. Any further construction/expansion/renovation/ in the unit premises shall be subject to the clearance from the J & K State Pollution Control Board.
- vii. The executing agency shall provide adequate arrangement for fighting the accidental leakages/discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.
- viii. Good House keeping practices shall be adopted by the executing agency .
- ix. It shall be the responsibility of the executing agency to ensure that there are no complaints from the surrounding areas due to pollution caused by the unit.
- x. The executing agency should apply 60 days in advance for renewal of Consent before expiry the date of this Consent order.


**Specific conditions:**

1. *The executing agency shall raise green belt in 3 staggered rows of suitable plant species within the premises of unit.*
2. *The executing agency shall not sublet the stone crusher to any body and shall dismantle the stone crusher soon after completion of work.*
3. *The executing agency shall not operate the stone crusher until Board issue consent to operate fresh.*
4. *In case of violation of the above mentioned conditions or any complaint if found genuine on verification the consent shall be withdrawn.*

*\* This consent is issued purely from environmental angle and the Board shall not be responsible for any claim, counter claim, ownership, partnership etc. of the unit.*

  
Asst. Environmental Engineer

Consent Order No: 1522 of 2016

  
Member Secretary  
dated: 11/2/2016

M/s Millith Karv Engineering & Trading Pvt. Ltd.  
Karol, Ramban.

Copy to the :

1. Regional Director PCB Jammu for information.
2. General Manager DIC Ramban for information.
3. District Officer PCB Ramban for information and necessary action.
4. Office record.