



**J&K STATE POLLUTION CONTROL BOARD**  
**Jammu /Srinagar (www.jkspcb.nic.in)**

**CONSENT ORDER**

SPCB 420 of 2017 dated 03-07-2017

Consent to **Operate (Renewal)** under section 25/26 of the Water (Prevention & Control of Pollution) Act 1974, and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981, as amended is granted in favour of

Sh. A.K Katyal (Managing Partner)  
M/s R Kay Grinding (Jammu) Pvt. Ltd.  
36 Industrial Estate Extension Hatli Morh Kathua

for a period upto **March 2022** and for a category of unit **Orange** as per revised classification of industrial sector) subject to the following terms and conditions in a time bound manner :-

1. The consent granted by the Board is restricted to Prevention and Control of Pollution as per Water and Air Act only and shall not be treated as substitute of permission required under other laws of the land.
2. The consent is granted for the manufacturing of the following quantities of products / by-products consented as under with capital investment (as per schedule I) **Rs 32.50 lacs**. Further any change / enhancement in production capacity , process , raw materials shall have be intimated to the board and unit holder has to apply fresh for the same.

S.No.	Products / By-product	Consented quantity
1	Mfg. of OPC / PPC	29700 MTPA (As per Sch. II)

(The unit is registered with DIC vide No. 07/05/03166 dt: 31-08-1994)

3. The emissions or discharge of environmental pollutants from the stone crusher shall not exceed the relevant parameters and standards prescribed under respective schedules of the Environment (Protection) Rules , 1986 as amended from time to time.
4. The unit holder shall comply to the **Noise Pollution (Regulation and Control) Rules 2000 as amended** take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 db(A) during day time and 70 db(A) during night time. Daytime is reckoned in between 6am to 10pm and night time is 10pm to 6am.
5. **Compliance under Water Act:**  
**Service wastewater (without co processing) :** All efforts shall be made by the industry for zero discharge of service wastewater . In case, the industry prefers to discharge service wastewater, the following norms shall be complied with :

Parameters	Conc. in mg/l except for pH
pH	5.5 to 9.0
Suspended Solids	100
Oil & Grease	10
Temperature	Not more than 5°C higher than the intake water temperature

- a. The daily quantity of sewage effluent from the unit shall not exceed 0.2KLD
- b. The daily quantity of water consumption shall not exceed 01 KLD.
- c. The unit holder shall take adequate safe guards for the treatment of sewerage water by way of providing septic / soakage pit and its discharge shall confirm to the following standards

Parameters	Conc. in mg/l except pH
pH	6 - 9
BOD ( 3 DAYS 27° c)	30
Total Suspended Solid	100

6. **Standards for discharge of Air emissions:**
  - a. The unit holder shall comply to **National Ambient Air Quality Standards** as per EP Act 1986 (refer rule 3(3B)).
7. **Pollution Control Equipments & Measures :** The unit holder has to operate a comprehensive Air Pollution Control system consisting of **ID Fan , PJ Dust Collector Fully enclosed bucket elevation system** to achieve the quality of emissions within the limits prescribed under Environment Protection Act 1986 (EP Act).



Fuel Consumption:                      Type of fuel                      Max. Quantity  
    Electricity

8. **Self Monitoring Schedule** : The unit holder shall get the samples of treated emissions and effluents analysed from the J&K SPCB laboratory or laboratory approved by the J&K SPCB and submit self monitoring report as per schedule given below for ascertaining the efficacy of pollution control devices to check the quality of effluent as per limits prescribed under environment protection act 1986.

SMR	1st	2nd	3rd	4 <sup>th</sup>	5 <sup>th</sup>	6 <sup>th</sup>	7 <sup>th</sup>	8 <sup>th</sup>	9 <sup>th</sup>
Month /Year	Dec. 2017	June 2018	Dec 2018	June 2019	Dec 2019	June 2020	Dec. 2020	June 2021	Dec. 2021

8. The unit holder shall comply with the additional conditions as stipulated below :-

- i. The Consent is valid for the **Operation of unit only**. The unit holder can only manufacture products, at the rate of production as mentioned in consent order.
  - ii. The unit holder has to keep a record of the Environmental data monitored regularly with regard to operation and maintenance of pollution control devices viz Air Pollution and Water Pollution Control to achieve the desired standards notified in EP Act.
  - iii. Pollution Control Devices (ETP/ECD) as contemplated to achieve the quality of effluent emission within the tolerance limits prescribed, shall have to be operational during the course of production. The effluent / emission shall not contain constituents in excess of the tolerance limits as laid down by J & K State Pollution Control Board.
  - iv. The unit holder shall be liable to pay compensation in case any damage is caused to the environment.
  - v. The unit holder shall abide by the directions of the Board which will be issued from time to time. Any infringement/violation or transgression of the statutory enactments of pollution control acts by the unit, shall be sufficient cause to prosecute the violator in conformity with relevant section of Air / Water Acts and Environment Protection Act in force.
  - vi. The unit shall be under surveillance monitoring of J & K State Pollution Control Board.
  - vii. The unit holder shall provide adequate arrangement for fighting the accidental leakages/discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.
  - viii. The unit holder should apply 60 days in advance for renewal of consent before expiry the date of this Consent order.
  - ix. In case of violation of above mentioned conditions or any public complaint the consent shall be withdrawn and unit holder shall shift the unit to another suitable site at his own risk and responsibility.
  - x. The above conditions shall be enforced inter-alia under the provision of the Water (Prevention and Control of Pollution) Act 1974, Air (Prevention and Control of Pollution) Act 1981 and Environment (Protection) Act 1986.
  - xi. In case of violation of above mentioned conditions or any public complaint the consent shall be withdrawn.
- \* This consent is issued purely from environmental angle and the Board shall not be responsible for any claim, counter claim, ownership, partnership etc. of the unit.

'By Order'

  
 Asstt. Environmental Engineer

  
 Member Secretary

Sr. No. SPCB/T/C/150/1686-89

dated: 03-07-17

Copy to the :

1. Regional Director PCB Jammu for information and ensure the implementation of conditions as above.
2. General Manager DIC Kathua for information.
3. D.O PCB Kathua for the direction to monitor the conditions of the consent regularly and status report be furnished to RD (J) .
4. M/s R Kay Grinding (Jammu) Pvt. Ltd, 36 Industrial Estate Extension Hatli Morh Kathua for compliance of above said conditions.
5. Office file