



J&K STATE POLLUTION CONTROL BOARD

Jammu /Srinagar (www.jkspcb.nic.in)

CONSENT ORDER

SPCB 472 of 2017 dated 18-7-2017

Consent to **Operate (Renewal)** under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981, as amended is granted in favour of

Sh. Mohd. Akbar Mir

M/s Mir Laminators,
Sanzipora Khanda Budgam.

for a period upto **02-09-2018** for a category of **Orange** as per revised classification of industrial sector, subject to the following terms and conditions in a time bound manner:

1. The consent granted by the Board is restricted to Prevention and Control of Pollution only and shall not be treated as substitute of permission required under other laws of the land.
2. The consent is granted valid for the manufacture of the products / by-products consented quantity as under with capital investment as per schedule II **Rs. 184.90 lac**. Any change / enhancement in production capacity, process, raw materials shall have be intimated to the board and unit holder has to apply fresh for the same

S.No.	Products / By-product	Maximum Quantity
1	Laminated MDF Boards	400000 Sft/annum
2	Laminated Printed Boards	230000 Sft/annum
3	Faced Particle boards	900000 Sft/annum
4	CG Ply Board (19-35 mm)	618480 Sft/annum
5	BWR Ply Board (19-35 mm)	385130 Sft/annum
6	CG Ply Board (4-16mm)	518530 Sft/annum
7	BWR Ply Board (4-16 mm)	518530 Sft/annum
8	Flush doors (25-35 mm)	1994890 Sft/annum

The emissions or discharge of environmental pollutants from the unit / establishment shall not exceed the relevant parameters and standards for the said industry, operation or process specified under respective schedules of the Environment (Protection) Rules , 1986 as amended from time to time.

3. Compliance under Water Act :

a. Standards for discharge of sewerage treatment

Sewage Treatment – The unit holder shall install a comprehensive treatment system as is warranted with reference to effluent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards before disposal :-

Parameters	Range	Conc. in mg/l except pH
pH	between	6-9
Suspended Solids	Not to exceed	100
BOD, 3 days, 27°C	Not to exceed	30

b. All the domestic waste water is disposed off through septic tank and soakage pit.

c. Water consumption

- i. The daily quantity of sewage effluent from the unit shall not exceed the permissible quantity approved
- ii. The daily quantity of water consumption shall not exceed 2.45KLD

4. Compliance under Air Act:

- a. The unit holder shall comply to **National Ambient Air Quality Standards** as per EP Act 1986 (refer rule 3(3B)).

Signature

b. The unit holder has to operate stack(s) of the following specifications :

S.No.	Stack attached to	Height
1	Steam Boiler (10 Ton/hr.)	105 feet

5. Compliance under Noise Pollution (Regulation and Control) Rules 2000 as amended

The unit holder shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 db(A) during day time and 70 db(A) during night time. Daytime is reckoned in between 6am to 10pm and night time is 10pm to 6am.

6. Pollution Control Equipments & Measures:

The unit holder has to operate and maintain a comprehensive air pollution control system at the time of operation of unit to achieve the quality of emission within the tolerance limits prescribed under environment protection act 1986.


7. Self Monitoring Schedule:

The unit holder shall get the samples of treated effluents /emission analysed from the J&K SPCB laboratory or laboratory approved by the J&K SPCB and submit the first self monitoring report (SMR) within six months from the date of issuance of this consent and thereafter every six months for ascertaining the efficacy of Pollution Control Devices installed in the unit. If the unit holder fails to submit the SMR within the stipulated time, the consent shall be deemed as withdrawn and if the SMR submitted by the unit holder does not certify the norms prescribed under EP Act, 1986 the consent shall be processed for withdrawal and further necessary action shall follow as per codal formalities.

8. The unit holder shall comply with the additional conditions as stipulated below:-

- The Consent is valid for the **Operation of the unit only.**
- Pollution Control Devices (ETP/ECD) as contemplated to achieve the quality of effluent emission within the tolerance limits prescribed, shall have to be operational during the course of production. The effluent / emission shall not contain constituents in excess of the tolerance limits as laid down by J & K State Pollution Control Board.
- The unit holder shall be liable to pay compensation in case any damage is caused to the environment.
- The unit holder shall abide by the directions of the Board which will be issued from time to time. Any infringement/violation or transgression of the statutory enactments of pollution control acts by the unit, shall be sufficient cause to prosecute the violator in conformity with relevant section of Air / Water Acts and Environment Protection Act in force.
- The unit shall be under surveillance monitoring of J & K State Pollution Control Board.
- The unit holder shall provide adequate arrangement for fighting the accidental leakages/discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.
- The unit holder should apply 60 days in advance for renewal of consent before expiry the date of this Consent order.
- In case of violation of above mentioned conditions or any public complaint the consent shall be withdrawn.

* **This consent is issued purely from environmental angle and the Board shall not be responsible for any claim, counter claim, ownership, partnership etc. of the unit.**


Scientist C

'By Order'


Member Secretary

Sr. No. SPCB /T/C 119/1284-87

dated: 18-7-2017

Copy to the:

1. Regional Director PCB Kashmir Budgam for information.
2. D.O PCB Budgam with directions to monitor the conditions of the consent regularly and status report be furnished to RD (K).
3. M/s Mir Laminators, Sanzipora Khanda Budgam for compliance of above said conditions.
4. Office file.