

Government of Jammu & Kashmir
J&K State Pollution Control Board
Rajbagh Srinagar.

Mrs . Sehrash Rafiq (Prop)

M/s. Chesti Construction Stone Crusher and Hot Mix Plant
Village Channa Tehsil Chassana District Reasi (J&K)

No:-SPCB/T/C/32/ 653-55

Dated:- 10.6.2016

Subject:- Application for grant of consent to operate (Fresh) in favour of M/s Chesti construction stone crusher and Hot Mix Plant at village Channa Tehsil Chassana Reasi.

While examining your application for consent to operate (Fresh) in favour of M/s Chesti Construction Stone Crusher and Hot Mix Plant at Village Channa Tehsil Chassana district Reasi, it was observed that proper pollution control devices are not installed on stone crusher and hot mix plant.

As such your application for grant of consent to operate (Fresh) is considered and rejected. Accordingly you are provided an opportunity to rectify the shortcomings given above and report compliance through the concerned District Officer/Regional Director (Jammu) within **six weeks**. In case you fail to comply with the requirements above, your application for grant of consent to operate (fresh) will be refused and closure order under environmental laws shall follow.


9/6/16
Member Secretary

Copy to the:-

1. Regional Director ,PCB.Jammu for information and necessary action.
2. District Officer PCB Reasi for inf and n/a.