

Government of Jammu & Kashmir  
J&K State Pollution Control Board  
Sheikh ul Alam Campus Rajbagh  
Srinagar.

Ghulam Mohi Ud Din Bhat  
R/o Washbugh Opp. DC Office Pulwama  
M/S Continental Agro Industries  
IGC Lassipora Pulwama.

No.: SP/0317/C/91/658-59.


Dated: 10-06-2016

Subject :- Application for grant of Consent to Operate (Renewal) in favour of M/S  
Continental Agro Industries, IGC Lassipora Pulwama.

While examining your case for grant of Consent to Operate (renewal) in favour of  
M/S Continental Agro Industries, IGC Lassipora Pulwama following shortcomings are  
noticed which need to be rectified:

- i) No Effluent Treatment Plant has been installed neither the drain carrying the  
waste water from the unit is connected to Common Effluent Treatment  
Plant(CETP),waste water is directly discharged which is clear violation of the  
conditions laid down in previous consent..
- ii) SMR has not been submitted by you for confirming the norms.

As such you are advised to rectify the above short coming within fortnight failing  
which your application for grant of Consent to Operate (R ) shall be refused/rejected and  
closure order shall follow under various environmental laws.

  
9/6/16  
Member Secretary

Copy to the :-

Regional Director, State Pollution Control Board Kashmir for information with a  
direction to submit fresh inspection report to ensure compliance by unity holder.