

Government of Jammu & Kashmir  
**J&K State Pollution Control Board**  
Transport Nagar Narwal Jammu.  
Tel./Fax:-0191-2476925

Sh Ambrish Mangotra and Sh Rajinder wazir (Props)  
M/S Hotel Atithi International.  
Jammu Road Katra  
Distt Reasi.

No:- PCB/T/C/64/ 236-39 dated:- 28.4-2016


**Sub:- Application for grant of Consent to Operate (Fresh) in favour of M/S Hotel Atithi International Katra District Reasi.**

While examining your application for Consent to Operate (Fresh), in favour of M/S Hotel Atithi International Katra, it was observed that:-

- i. The Sewerage Treatment Plant of your hotel is not operational.
- ii. Ducting system in kitchen is not operational.

Whereas, in this regard you have been intimated through this office letter No.SPCB /T/C/64/928-29 dated 19-2-2016 but you have failed to respond.

Now therefore, your application for Consent to Operate (fresh) is rejected and Consent to Operate (Fresh) is refused . The action under environmental law shall follow.

  
28/4  
Member secretary

Copy to the:-

1. Regional Director, Pollution Control Board Jammu for information and n/a.
2. Legal Advisor, Pollution Control Board Jammu for information and necessary action.
3. Divisional Officer, Pollution Control Board Reasi for information and necessary action