

Government of Jammu & Kashmir  
J&K State Pollution Control Board  
Transport Nagar Narwal Jammu.

Sh. Mahesh Chander Alies Ramesh Chander (Prop)  
M/s. Hotel Mayur Katra .  
District Reasi

No:- SPCB/T/C/73 109-11

Dated:-

04/04/2016

Subject:- Application for grant of Consent to Operate (Renewal) in favour of M/s, Hotel Mayur Katra Distt Reasi.


While examining your application for Consent to Operate (Renewal) in favour of M/S Hotel Mayur Katra Distt Reasi ,It has been observed that:-

- (a) Sewerage Treatment Plant of your hotel is not installed.
- (b) DG Set of 82.5 KVA without required ECDs i.e acoustic Enclosure and not provided with proper stack height.
- (c) Not applied for authorization to operate the DG Set.

As such, your application for grant of consent to operate (Renewal) is considered and rejected. You are through this letter given one opportunity to rectify the shortcomings given above, and report compliance through the concerned District Officer/Regional Director (Jammu) within **six weeks**. In case you fail to comply with the requirements above, your application for grant of consent to Operate (R) will be refused and closure order shall follows under environmental laws.

Copy to :-

1. The Regional Director.PCB.Jammu for information .
2. The District officer.PCB.Reasi for inf and n/a.

  
4/2/16  
Member Secretary