

Government of Jammu & Kashmir
J&K State Pollution Control Board
Transport Nagar Narwal Jammu.
Tel./Fax:-0191-2476925

Sh Madan lal Agarwal (MD)
M/S Hotel New Kamala Palace
Main Bazar Katra District Reasi.

No:- PCB/T/C/52/ 224-26

dated:- 24.4.2016

**Sub:- Application for grant of Consent to Operate (Renewal) in favour of M/S
Hotel New Kamala Palace Main Bazar Katra District Reasi**

While examining your application for Consent to Operate (Renewal), in favour of Hotel New Kamla Palace Main Bazar Katra Distt Reasi, it was observed that no Sewerage Treatment Plant is installed in the hotel to treat the waste water generated from the hotel.

Whereas, in this regard you have been intimated through this office letter No.SPCB/T/C/52/713-15 dated 18-01-2016 followed by letter no.PCB/T/C/52/1130-31 dated 18-3-2016 but you failed to respond.

As such your application for Consent to Operate (Renewal) is rejected and consent to Operate (Renewal) is refused. The action under Environmental laws shall follow.


2016
Member secretary

Copy to the:-

1. Regional Director, Pollution Control Board Jammu for information and necessary/a.
2. Legal Advisor, Pollution Control Board Jammu for information and necessary action.
3. Divisional Officer, Pollution Control Board Reasi for information and necessary action