

Government of Jammu & Kashmir

**J&K State Pollution Control Board**  
Transport Nagar Narwal Jammu.  
Tel./Fax:-0191-2476925

Sh Sanjay Sharma  
M/S Hotel Regal Bus Stand Katra.  
Distt Reasi.

No:- PCB/T/C/65/ 64-67

dated:-


12/4/2016

**Sub:- Application for grant of Consent to Operate (Fresh) in favour of M/S Hotel Regal Bus Stand Katra District Reasi.**

While examining your application for Consent to Operate (Fresh), in favour of M/S Hotel Regal Bus Stand Katra, It has been observed that, no Sewerage Treatment Plant has been installed in your hotel for treatment of waste water .

Whereas, in this regard you have been intimated through this office letter No.SPCB /T/C/65/947-48 dated 20-2-2016 but you failed to respond.

As such Your application for Consent to Operate (fresh) is rejected and Consent to Operate (Fresh) is refused and rejected. The action under environmental laws shall follow.

  
12/4/16  
Member secretary

Copy to the:-

2. Regional Director, Pollution Control Board Jammu for information and necessary action.
2. Legal Advisor, Pollution Control Board Jammu for information and necessary action.
3. Divisional Officer, Pollution Control Board Reasi for information and necessary action