



Government of Jammu and Kashmir
J&K State Pollution Control Board

Winter office: November-April

Parivesh Bhawan, Gladni,
Transport Nagar, Narwal,
Jammu. (J&K) 180006.
Ph./Fax. 0191-2476925

Summer Office: May-October

Sheikh-ul-Alam Campus,
Behind Govt. Silk Factory,
Rajbagh, Srinagar (J&K) 190008
Ph./Fax. 0194-2311165.

email: membersecretaryjkspcb@gmail.com

Closure Order NO: 30 SPCB of 2019
Dated : 02 / 07 /2019

Whereas, no activity having bearing on environment can be taken in hand or put in operation without the prior consent of the Pollution Control Board, warranted under Section 25/26 and Section 21 of the Water (Prevention and Control of Pollution) Act 1974 and Air (Prevention and Control of Pollution) Act, 1981 respectively

Whereas, Consent to Establish (Fresh) granted to **M/s ADHISHREE (Banquet Hall) Mishriwala, Akhnoor Road, Jammu** vide No.1286 of 2014 dated 01-11-2014 with validity period upto November, 2015, thereafter owner of Banquet hall failed to obtain periodical renewals, as warranted under Section 25/26 and Section 21 of the Water (Prevention and Control of Pollution) Act 1974 and Air (Prevention and Control of Pollution) Act, 1981 respectively.

Whereas, Banquet Halls are required to meet the effluent/sewage standards prescribed under Environment Protection Act by having STP of required capacity in place.

Whereas, **M/s ADHISHREE (Banquet Hall) Mishriwala, Akhnoor Road, Jammu** was recently inspected and it was found that neither the STP has been installed nor other pollution control devices/measures have been installed / adopted and even consent of the Board has not been obtained by the owner.


Whereas, repeated notices were accordingly served upon the owner of the Banquet Hall vide Notice No.4864- 66/SPB/RDJ/Consent-O/18 dated 29-12-2018 followed by Notice No. SPCB/RDJ-II/2019/306-08 dated 15-04-2019.

Whereas, Banquet Hall in question is therefore currently operational in flagrant violation of above said requirements of law as it has failed to obtain consent of the Board and to install the STP.

Whereas, since the Banquet Hall in question does not have any pollution abatement mechanism in place especially STP, its operation can prove detrimental to human health and environment.

Now therefore in exercise of powers vested in the J & K State Pollution Control Board under **Section 31(A)** of the Air (Prevention and Control of Pollution) Act, 1981, immediate closure of **M/s ADHISHREE (Banquet Hall) Mishriwala, Akhnoor Road, Jammu** is hereby ordered and in this behalf the:-


- i. Deputy Commissioner/ District Magistrate, **Jammu** is directed to close **M/s ADHISHREE (Banquet Hall) Mishriwala, Akhnoor Road, Jammu** immediately.
- ii. Chief Engineer Electric & Maintenance (PDD) **Canal Road Jammu** is directed to snap the electric supply to above said Banquet Hall, immediately.
- iii. Chief Engineer PHE, **Jammu** is directed to snap the water supply to the Banquet Hall, immediately.
- iv. Prop. **M/s ADHISHREE (Banquet Hall) Mishriwala, Akhnoor Road, Jammu** is directed to cease the operation of the Banquet Hall forthwith.


(M.M.Shah)
Legal Advisor
J&KSPCB

No:- SPCB/LSJ/790/2019 /194-201
Dated:- / 02/07/2019

Copy to the:-

- i. Deputy Commissioner/ District Magistrate, **Jammu** for information and necessary action, under intimation.
- ii. Chief Engineer Electric & Maintenance (PDD) Canal Road Jammu for information and necessary action, under intimation.
- iii. Chief Engineer PHE, **Jammu** for information and necessary action, under intimation.
- iv. Director Tourism Jammu for information and necessary action.
- v. Regional Director, SPCB, Jammu for information and follow up action within fortnight.
- vi. Divisional Officer, Pollution Control Board (North) for reporting status of enforcement of the closure order within a fortnight.
- vii. I/c Web site Pollution Control Board Jammu for uploading the closure order
- viii. Prop. **M/s ADHISHREE (Banquet Hall) Mishriwala, Akhnoor Road, Jammu** for information and compliance.


(B.M.Sharma)IFS
Member Secretary
J&KSPCB