



**J&K STATE POLLUTION CONTROL BOARD**  
**Jammu /Srinagar (www.jkspcb.nic.in)**

**CONSENT ORDER**

SPCB 1258 of 2017 dated 17-3-2017

Consent to **Operate (Renewal)** under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981, as amended is granted in favour of Sh. Abhimanyu Sharma ( G. M )

**M/s Jagran Prakashan Ltd.**  
**SIDCO Industrial Complex Bari Brahamana**

for a period upto **December 2017** for **Orange** category of unit as per revised classification of industrial sector, subject to the following terms and conditions in a time bound manner:

1. The consent granted by the Board is restricted to Prevention and Control of Pollution only and shall not be treated as substitute of permission required under other laws of the land.
2. The consent is granted valid for the operation of the printing press for printing materials with capital investment as per schedule II **Rs. 866.31 lacs**. Any change / enhancement in production capacity, process , raw materials shall have be intimated to the board and unit holder has to apply fresh for the same

S.No.	Products / By-product	Maximum Quantity
1	Printing & Publication of News Papers	115 MT/annum

(The unit is registered with DIC vide No. MSU/2005/06 dt: 6-1-2006

The emissions or discharge of environmental pollutants from the unit / establishment shall not exceed the relevant parameters and standards for the said industry, operation or process specified under respective schedules of the Environment (Protection) Rules , 1986 as amended from time to time.

**3. Compliance under Water Act :**

**a. Standards of discharge for Sewerage disposal:**

**Sewage Treatment** – The unit holder shall install a comprehensive treatment system as is warranted with reference to effluent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards before disposal :-

Parameters	Conc. in mg/l except pH
pH	6-9
Suspended Solids	100
BOD, 3 days, 27°C	30

b. All the domestic waste water is disposed off through septic tank and soakage pit.

**c. Water consumption**

- i. The daily quantity of sewage effluent from the unit shall not exceed 1.2 KLD
- ii. The daily quantity of water consumption shall not exceed 02 KLD.

**4. Compliance under Air Act:**

a. The unit holder shall comply to **National Ambient Air Quality Standards** as per EP Act 1986 (refer rule 3(3B) .

**5. Compliance under Noise Pollution (Regulation and Control) Rules 2000 as amended :**

The unit holder shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 db(A) during day time and 70 db(A) during night time. Daytime is reckoned in between 6am to 10pm and night time is 10pm to 6am.

**6. Pollution Control Equipments & Measures :**

The unit holder has to operate and maintain a comprehensive Air Pollution Control System as applicable under environment protection act 1986 . to achieve the standards of emission .


7. **Self Monitoring Schedule :**

The unit holder shall get the samples of treated emissions analysed from the J&K SPCB laboratory or laboratory approved by the J&K SPCB and submit self monitoring report by October 2018 for ascertaining the efficacy of pollution control devices to check the quality of emission under environment protection act 1986.


8. **The unit holder shall comply with the additional conditions as stipulated below :-**

- i. The Consent is valid for the **Operation of unit only**. The unit holder can only manufacture products, at the rate of production as mentioned in consent order.
- ii. Pollution Control Devices (ETP/ECD) as contemplated to achieve the quality of emission within the tolerance limits prescribed, shall have to be operational during the course of production. The emission shall not contain constituents in excess of the tolerance limits as laid down by J & K State Pollution Control Board.
- iii. The unit holder shall be liable to pay compensation in case any damage is caused to the environment.
- iv. The unit holder shall abide by the directions of the Board which will be issued from time to time. Any infringement/violation or transgression of the statutory enactments of pollution control acts by the unit, shall be sufficient cause to prosecute the violator in conformity with relevant section of Air / Water Acts and Environment Protection Act in force.
- v. The unit shall be under surveillance monitoring of J & K State Pollution Control Board.
- vi. The unit holder shall provide adequate arrangement for fighting the accidental leakages/discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.
- vii. The unit holder should apply 60 days in advance for renewal of consent before expiry the date of this consent order.
- viii. In case of violation of above mentioned conditions or any public complaint the unit holder shall shift the unit to another place at his own risk and responsibility .

\* This consent is issued purely from environmental angle and the Board shall not be responsible for any claim, counter claim, ownership, partnership etc. of the unit.

  
Asstt. Environmental Engineer

'By Order'

  
Member Secretary

dated: 17-3-2017

Sr. No. SPCB /T/C /544/3723-26

Copy to the :

1. Regional Director PCB Jammu for information and ensure the implementation of conditions stated above.
2. General Manager DIC Jammu for information.
3. D.O PCB Samba North for the direction to monitor the conditions of the consent stated above .
4. M/s Jagran Prakashman Ltd. SIDCO Industrial Complex Bari Brahamana for compliance of above stated conditions.
5. Office file.